

Uniclass L512+L521 Pr_25_93_72_13	EPIC E223+E311
CI/SFB (41)+(47) 20040434	Ng 2
FEB 2021	

STONELEAF



STONELEAF DANBURY HANDMADE TILES



Stoneleaf Building Materials are passionate about providing the highest quality natural roofing materials possible to the most discerning clients, architects, housebuilders and home-owners.

Danbury Handmade clay plain tiles are manufactured using the finest clay deposits, which are cut, shaped, and moulded by hand, before being fired in small batches. The coal fired Hoffman kiln employed to 'bake' the tiles has been in service since the 19th century, it's manual operation has been passed down from generation to generation. Producing the tiles in this manner gives them all a unique character which will help any sensitive restoration project or new development settle into its surroundings immediately.

The Danbury tile range features a rustic appearance which maintains the individuality of a truly handmade natural clay product

Nibless Peg Tiles can be produced to order along with a host of feature ornamental tiles including, club, bullnose, fishtail and diamond designs. Bat Access tiles can also be supplied


Quality control measures are conducted at each step of the production process. From mixing the clay deposits to the correct consistency to hand packing the final product onto pallets ready for delivery.

Available in three colours that can be used as a single overall colour or mixed together to create an even more eye-catching blend.

Stoneleaf Danbury Handmade Clay Tiles are the ideal choice for a project where tradition and period aesthetics are key.



Bonnet



Valley



External Angle



**Half Round
Ridge**



**Hog Back
Ridge**



Baby Ridge



Bullnose



Fishtail



Club Tile



Bat Tile



Dark Antique

Medium Antique

Red Blend

Technical Information

Tile Size: 265mm x 165mm

Minimum Roof Pitch: 35 Degrees

Max Gauge: 100mm

Tiles per m²: 60

Weight when laid: 71kg per m²

All batches are deemed to exceed
the current British standards

BS EN 538 Flexural strength

BS EN 539-1 Impermeability

BS EN 539-2 Frost resistance



Stoneleaf Building Materials Ltd

Unit 6 Templewood Ind Est

West Hanningfield, CM2 8LA

www.stoneleaftiles.co.uk

01277 841 555

sales@stoneleaftiles.co.uk